



ABOUT LONGHORN STEAKHOUSE

We start with quality cuts and end where most things do: on the grill. Our fresh, never frozen steaks are boldly seasoned then grilled to perfection by our Grill Masters and enjoyed by our guests in a warm and inviting atmosphere.

Guest Favorites include hand-breaded Wild West Shrimp, our famous fire-grilled 20oz. bone-in Outlaw Ribeye, Parmesan Crusted Chicken smothered in our parmesan-garlic cheese crust, and Chocolate Stampede that includes 6 different kinds of chocolate!

We believe in never taking shortcuts and are focused on becoming America's favorite steakhouse ...one guest, one community at a time.

WILD WEST SHRIMP[®] & THE PERFECT MARGARITA



530 + Restaurants in 43 states

> **30,000 +** Team Members

80 million + Guests served annually




CHOCOLATE STAMPEDE®



LONGHORN STEAKHOUSE

Site Selection Criteria

MARKET:			
Population	Trade area with a minimum of 100,000 people		
Area of Focus	Prime regional locations that minimize impact to existing locations		
Traffic Count	20,000 minimum ADT		
<u>SITE:</u>			
Land	1.5 acres or access to legal cross parking		
Parking	127		
Location	Prime regional focal point with good access, visibility and parking		
BUILDING:			
Bldg. Square Footage	5,710 sf		
Interior Seating	184		
TERMS:			
Ownership	Prefer to own but will consider ground leases.		
CAM	Negotiable with cap and audit rights		
Тах	Pro-Rata		
Insurance	Pro-rata		
% Rent	None		
Lease Initial Terms	10 years		
Lease Renewal Options	Four 5-year options		
COMMENTS:	Prefer freestanding, but will consider dominant end-cap locations and conversion opportunities		



SITE DATA

TOTAL SITE S.F. = 69,282 sq. ft.

LAYOUT PREFERNCES

PARKING TARGET >= 127 TOTAL

APPROACH DRIVE MAXIMUM 10% SITE SIGN

SITE LIGHTING PREFERENCES

- 2.0 FOOTCANDLE TARGET AVERAGE
- EXCELINE VERTILYTE
- POLE = SECURITY LIGHTING RST-2570-EG-AB
- ROUND TAPER STEEL POLE
- RSB/RCS-320MH (DARK BRONZE) W/ 320W PULSE START METAL HALIDE OR 3,000K LED
- MOUNTING HEIGHT 27'6" ABOVE **FINISH GRADE**
- 25' POLE (DARK BRONZE, 2'-6" BASE, SQUARE STRAIGHT STEEL


GROUND LIGHT

- PAD PERIMETER = KICHLER LIGHTING S15752AZT LOW VOLTAGE L.E.D.
- FRONT WALL = KICHLER LIGHTING S15752AZT LOW VOLTAGE L.E.D.

SITE AMENITIES

- BOLTED DOWN EXTERIOR PATIO FURNITURE
- FLAGPOLE 25' HIGH, LIGHTED (IF PROVIDED)
- SHOW BASE SIZE ON SITE PLAN TYPICAL 9'X5'
 - NOTE GENERAL CONTRACTOR TO INSTALL FOUNDATION
- NELSON





UTILITY REQUIREMENTS:

ELECTRIC:

SERVICE SIZE 1000 AMP. 120/208 VOLT 3 PHASE, (2) PARALLEL RUNS OF (4) #600 KCMIL, (1)#3/0 GROUND EACH IN IN 4" CONDUIT PAD TRANSFORMER WITH UNDERGROUND PRIMARY AND SECONDARY

GAS:

2 PSI HIGH PRESSURE GAS SERVICE (14" MINIMUM WC) FROM MAIN TO METER

WATER:

2" CW SERVICE TO BUILDING WITH 1-1/2" METER AT MINIMUM 90 PSI 6" FIRE LINE 1-1/2" IRRIGATION LINE WITH 1" METER AT MINIMUM 90 PSI

SANITARY SEWER:

6" MIN. CONNECTION TO SERVICE MAIN, SIZE MAY VARY WITH LOCAL REQUIREMENTS

STORM SEWER


(4) 6" STORM PIPES FROM ROOF DRAINS

GREASE TRAP REQUIREMENTS

APPROX. 1500 GALLON GREASE TRAP. SIZE MAY VARY WITH LOCAL REQUIREMENTS







BUILDING TABULATION	
BUILDING HEIGHT:	28'-0"
BUILDING AREA:	±5,710 SF
TRASH ENCLOSURE:	570 SF

TYPES	TABLES	SEATS			
BAR					
BARSTOOLS	-	12			
BARCHAIRS	-	2			
4 TOPS	3	12			
BAR TOTAL	3	26			
DINING					
2 TOPS	1	2			
4 TOPS	36	144			
6 TOPS	2	12			
DINING TOTAL	39	158			
BUILDING TOTAL	42	184			








FRONT ELEVATION




RIGHT ELEVATION







LEFT ELEVATION




ELEVATIONS



FRONT ELEVATION













EIFS BENJAMIN MOORE PAINT "HC-71 - HASBROUCK BROWN"

EXTERIOR STAIN

OLYMPIC STAIN "708 - WALNUT" STANDING SEAM METAL ROOF GALVALUME FINISH

JAMES HARDIE

HARDIEPLANK HZ5 LAP SIDING PRIMED, P-13














SITE DATA

TOTAL SITE S.F. = 69,282 sq. ft.

LAYOUT PREFERNCES

- PARKING TARGET >= 127 TOTAL SPACES
- TOTAL SITE AREA ± 1.54 ACRES
- **5 ACCESSIBLE SPACES (VERIFY**
 - 9'X18' STANDARD STALL SIZE (VERIFY CODE)
 - **DUMPSTER APPROACH 25'** MINIMUM
- 62' TRUCK
 - STANDARD REFUSE TRUCK
 - CURB AND GUTTER PREFERRED
 - 5' RADIUS ON CURB PREFERRED

GRADING PREFERENCES

- 5% MAXIMUM SLOPE
- **1% MINIMUM SLOPE**
- 2% DESIGN SLOPE
- 1.5% MAXIMUM IN ACCESSIBLE
- DO NOT EXCEED 8% GRADE DIFFERENTIAL
- APPROACH DRIVE MAXIMUM 10% SITE SIGN

- 7' ADJACENT TO PARKING STALLS •
- 5' GENERAL CIRCULATIONS
- LONGHORN DETAIL CURB AND NELSON
- DOWELED INTO WALK AT PAD PERIMETER

SITE LIGHTING PREFERENCES

- 2.0 FOOTCANDLE TARGET AVERAGE
- EXCELINE VERTILYTE
- POLE = SECURITY LIGHTING RST-2570-EG-AB
- ROUND TAPER STEEL POLE
 - RSB/RCS-320MH (DARK BRONZE) W/ 320W PULSE START METAL HALIDE OR 3,000K LED
- MOUNTING HEIGHT 27'6" ABOVE • **FINISH GRADE**
- 25' POLE (DARK BRONZE, 2'-6" ٠ BASE, SQUARE STRAIGHT STEEL

GROUND LIGHT

.

- PAD PERIMETER = KICHLER ٠ LIGHTING S15752AZT LOW VOLTAGE L.E.D.
- FRONT WALL = KICHLER LIGHTING . S15752AZT LOW VOLTAGE L.E.D.

SITE AMENITIES


- BOLTED DOWN EXTERIOR PATIO ٠ FURNITURE
 - FLAGPOLE 25' HIGH, LIGHTED (IF PROVIDED)
- SHOW BASE SIZE ON SITE PLAN TYPICAL 9'X5'

311 Elm Street Suite 600 Cincinnati OH 45202 513 241 3000 www.nelsonworldwidecom

LH9.2 PROTOTYPE - RIGHT

04.09.21 SITE PLAN

NOTE GENERAL CONTRACTOR TO INSTALL FOUNDATION



UTILITY REQUIREMENTS:

ELECTRIC:

SERVICE SIZE 1000 AMP. 120/208 VOLT 3 PHASE, (2) PARALLEL RUNS OF (4) #600 KCMIL, (1)#3/0 GROUND EACH IN IN 4" CONDUIT PAD TRANSFORMER WITH UNDERGROUND PRIMARY AND SECONDARY

GAS:

2 PSI HIGH PRESSURE GAS SERVICE (14" MINIMUM WC) FROM MAIN TO METER

WATER:

2" CW SERVICE TO BUILDING WITH 1-1/2" METER AT MINIMUM 90 PSI 6" FIRE LINE 1-1/2" IRRIGATION LINE WITH 1" METER AT MINIMUM 90 PSI

SANITARY SEWER:

6" MIN. CONNECTION TO SERVICE MAIN, SIZE MAY VARY WITH LOCAL REQUIREMENTS


STORM SEWER (4) 6" STORM PIPES FROM ROOF DRAINS

GREASE TRAP REQUIREMENTS

APPROX. 1500 GALLON GREASE TRAP. SIZE MAY VARY WITH LOCAL REQUIREMENTS







BUILDING TABULATION	
BUILDING HEIGHT:	28'-0"
BUILDING AREA:	±5,710 SF
TRASH ENCLOSURE:	570 SF

TYPES	TABLES	SEATS		
BAR				
BARSTOOLS	-	12		
BARCHAIRS	-	2		
4 TOPS	3	12		
BAR TOTAL	3	26		
DINING				
2 TOPS	1	2		
4 TOPS	36	144		
6 TOPS	2	12		
DINING TOTAL	39	158		
BUILDING TOTAL	42	184		







FRONT ELEVATION



RIGHT ELEVATION




LH9.2 PROTOTYPE - RI 04.09.21 ELEVATIONS





LEFT ELEVATION



04.09.21 ELEVATIONS





RIGHT ELEVATION





EIFS

EIFS BENJAMIN MOORE PAINT "HC-71 - HASBROUCK BROWN"



JAMES HARDIE HARDIEPLANK HZ5 LAP SIDING PRIMED, P-13

STANDING SEAM METAL ROOF

GALVALUME FINISH

NELSON

Cincinnati OH 45202 513 241 3000 www.nelsonworldwidecom









311 Elm Street Suite 600





LEFT ELEVATION

